

# POR QUE TRIBUTAR AS BEBIDAS ADOÇADAS?

## REFERÊNCIAS BIBLIOGRÁFICAS

1. Forouzanfar MH, Alexander L, Anderson HR, Bachman VF, Biryukov S, Brauer M, et al. Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet*. 2016; 386(10010): 2287-323.
2. NCD Risk Factor Collaboration (NCD-RisC). Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. *The Lancet*. 2016; 387(10026): 1377-96.
3. The GBD Obesity Collaborators. Health Effects of Overweight and Obesity in 195 Countries over 25 Years. *New England Journal of Medicine*. 2017; 377(1): 13-27.
4. N. C. D. Risk Factor Collaboration. Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. *The Lancet*. 2016; 387(10026): 1377-96.
5. Ng M, Fleming T, Robinson M, Thomson B, Graetz N, Margono C, et al. Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet*. 2014.
6. Kasper NM, Herran OF, Villamor E. Obesity prevalence in Colombian adults is increasing fastest in lower socio-economic status groups and urban residents: results from two nationally representative surveys. *Public Health Nutr*. 2014; 17(11): 2398-406.
7. Popkin BM, Kim S, Rusev ER, Du S, Zizza C. Measuring the full economic costs of diet, physical activity and obesity-related chronic diseases. *Obesity reviews : an official journal of the International Association for the Study of Obesity*. 2006; 7(3): 271-93.
8. Finkelstein EA, DiBonaventura Md, Burgess SM, Hale BC. The Costs of Obesity in the Workplace. *Journal of Occupational and Environmental Medicine*. 2010; 52(10): 971-6 10.1097/JOM.0b013e3181f274d2.
9. Narbro K, Jonsson E, Larsson B, Waaler H, Wedel H, Sjöström L. Economic consequences of sick-leave and early retirement in obese Swedish women. *International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity*. 1996; 20(10): 895-903.
10. Jaacks LM, Slining MM, Popkin BM. Recent trends in the prevalence of under- and overweight among adolescent girls in low- and middle-income countries. *Pediatric Obesity*. 2015: n/a-n/a.
11. Barquera S, Campos I, Rivera JA. Mexico attempts to tackle obesity: the process, results, push backs and future challenges. *Obesity Reviews*. 2013; 14: 69-78.
12. Jaime PC, da Silva ACF, Gentil PC, Claro RM, Monteiro CA. Brazilian obesity prevention and control initiatives. *Obesity Reviews*. 2013; 14: 88-95.
13. Carrillo-Larco RM, Bernabe-Ortiz A, Pillay TD, Gilman RH, Sanchez JF, Poterico JA, et al. Obesity risk in rural, urban and rural-to-urban migrants: prospective results of the PERU MIGRANT study. *Int J Obes*. 2016; 40(1): 181-5.
14. Popkin BM, Slining MM. New dynamics in global obesity facing low- and middle-income countries. *Obesity Reviews*. 2013; 14: 11-20.
15. Instituto Brasileiro de Geografia e Estatística. Pesquisa de Orçamentos Familiares no Brasil, 2008/2009: Antropometria e estado nutricional de crianças, adolescentes e adultos no Brasil. Rio de Janeiro: IBGE; 2010.
16. Instituto Brasileiro de Geografia e Estatística. Pesquisa Nacional de Saúde 2013: Ciclos de vida. Brasil e Grandes Regiões. Rio de Janeiro: IBGE; 2015.
17. Instituto Brasileiro de Geografia e Estatística. Pesquisa nacional de saúde do escolar: 2015 / IBGE, Coordenação de População e Indicadores Sociais. Rio de Janeiro: IBGE; 2016.
18. Schmidt MI, Duncan BB, Silva GA, Menezes AM, Monteiro CA, Barreto SM et al. Chronic non-communicable diseases in Brazil: burden and current challenges. *Lancet*. 2011;377(9781): 1949-61.
19. World Health Organization. Noncommunicable Diseases (NCD) Country Profiles 2014. Geneva: WHO; 2014.
20. Brasil. Ministério da Saúde. Secretaria de Vigilância em Saúde. Departamento de Vigilância de Doenças e Agravos não Transmissíveis e Promoção da Saúde. *Vigitel Brasil 2016: vigilância de fatores de risco e proteção para doenças crônicas por inquérito telefônico: estimativas sobre frequência e distribuição sociodemográfica de fatores de risco e proteção para doenças crônicas nas capitais dos 26 estados brasileiros e no Distrito Federal em 2016* [acesso eletrônico]. 2017a. Disponível em: [portalarquivos.saude.gov.br/images/pdf/2017/maio/12/Comemoracao-10-anos-de-Vigitel---resultados.pdf](http://portalarquivos.saude.gov.br/images/pdf/2017/maio/12/Comemoracao-10-anos-de-Vigitel---resultados.pdf). Acessado em: 10 de maio de 2017.
21. Bloch KV, Klein CH, Szklo M et al. ERICA: prevalências de hipertensão arterial e obesidade em adolescentes brasileiros *Revista de Saúde Pública*. 2016; 50(supl 1):9s.
22. De Oliveira ML, Santos LMP, Da Silva EM. Direct Healthcare Costo of Obesity in Brazil: na application of the cost-of-illness method from the perspective of the Public Health System in 2011. *PLoS ONE*, 2015;10(4):e0121160.
23. World Cancer Research Fund International. *Curbing global sugar consumption: Effective food policy actions to help promote healthy diets and tackle obesity*. London: WCRF; 2015.
24. World Health Organization. *Guideline: Sugar intake for adults and children*. In: WHO Department of Nutrition for Health and Development (NHD), editor. Geneva: WHO; 2015. p. 50.
25. U.S. Department of Health and Human Services and the US Department of Agriculture. *Scientific Report of the 2015 Dietary Guidelines Advisory Committee*. In: Promotion OoDPaH, editor. Washington DC: Office of Disease Prevention and Health Promotion USDHHS; 2015. p. 571
26. Institute of Medicine Committee on Accelerating Progress in Obesity Prevention. *Measuring Progress in Obesity Prevention: Workshop Report: The National Academies Press*; 2012.
27. Institute of Medicine. *Food Marketing to Children and Youth: Threat or Opportunity?: The National Academies Press*; 2006.
28. Johnson RK, Appel LJ, Brands M, Howard BV, Lefevre M, Lustig RH, et al. Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. *Circulation*. 2009; 120(11): 1011-20.
29. Pan American Health Organization. *Plan of Action for the Prevention of Obesity in Children and Adolescents*; 2014.
30. Mourao D, Bressan J, Campbell W, Mattes R. Effects of food form on appetite and energy intake in lean and obese young adults. *Int J Obes (Lond)*. 2007; 31(11): 1688-95.

31. DiMaggio DP, Mattes RD. Liquid versus solid carbohydrate: effects on food intake and body weight. *Int J Obes Relat Metab Disord*. 2000; 24(6): 794-800.
32. DellaValle DM, Roe LS, Rolls BJ. Does the consumption of caloric and non-caloric beverages with a meal affect energy intake? *Appetite*. 2005; 44(2): 187-93.
33. Malik VS, Hu FB. Fructose and Cardiometabolic Health: What the Evidence From Sugar-Sweetened Beverages Tells Us. *Journal of the American College of Cardiology*. 2015; 66(14): 1615-24.
34. Te Morenga LA, Howatson AJ, Jones RM, Mann J. Dietary sugars and cardiometabolic risk: systematic review and meta-analyses of randomized controlled trials of the effects on blood pressure and lipids. *The American Journal of Clinical Nutrition*. 2014; 100(1): 65-79.
35. Te Morenga L, Mallard S, Mann J. Dietary sugars and body weight: systematic review and meta-analyses of randomised controlled trials and cohort studies. *British Medical Journal*. 2013; 346: e7492
36. Malik VS, Willett WC, Hu FB. Global obesity: trends, risk factors and policy implications. *Nature reviews Endocrinology*. 2013; 9(1): 13-27.
37. Malik VS, Pan A, Willett WC, Hu FB. Sugar-sweetened beverages and weight gain in children and adults: a systematic review and meta-analysis. *Am J Clin Nutr*. 2013; 98(4): 1084-102.
38. de Koning L, Malik VS, Kellogg MD, Rimm EB, Willett WC, Hu FB. Sweetened Beverage Consumption, Incident Coronary Heart Disease and Biomarkers of Risk in Men. *Circulation*. 2012; 125(10): 1235-41.
39. de Ruyter JC, Olthof MR, Seidell JC, Katan MB. A Trial of Sugar-free or Sugar-Sweetened Beverages and Body Weight in Children. *New England Journal of Medicine*. 2012; 367(15): 1397-406.
40. Ebbeling CB, Feldman HA, Chomitz VR, Antonelli TA, Gortmaker SL, Osganian SK, et al. A Randomized Trial of Sugar-Sweetened Beverages and Adolescent Body Weight. *New England Journal of Medicine*. 2012; 367(15): 1407-16.
41. Marriotti BM, Campbell L, Hirsch E, Wilson D. Preliminary data from demographic and health surveys on infant feeding in 20 developing countries. *The Journal of nutrition*. 2007; 137(2): 518S-23S.
42. Zehner E. Promotion and consumption of breastmilk substitutes and infant foods in Cambodia, Nepal, Senegal and Tanzania. *Maternal & child nutrition*. 2016; 12(S2): 3-7.
43. Adair LS, Fall CH, Osmond C, Stein AD, Martorell R, Ramirez-Zea M, et al. Associations of linear growth and relative weight gain during early life with adult health and human capital in countries of low and middle income: findings from five birth cohort studies. *Lancet*. 2013; 382(9891): 525-34.
44. Stein AD, Wang M, Martorell R, Norris SA, Adair LS, Bas I, et al. Growth patterns in early childhood and final attained stature: data from five birth cohorts from low- and middle-income countries. *American journal of human biology : the official journal of the Human Biology Council*. 2010; 22(3): 353-9.
45. Martorell R, Horta BL, Adair LS, Stein AD, Richter L, Fall CH, et al. Weight gain in the first two years of life is an important predictor of schooling outcomes in pooled analyses from five birth cohorts from low- and middle-income countries. *J Nutr*. 2010; 140(2): 348-54.
46. Adair LS, Martorell R, Stein AD, Hallal PC, Sachdev HS, Prabhakaran D, et al. Size at birth, weight gain in infancy and childhood, and adult blood pressure in 5 low- and middle-income-country cohorts: when does weight gain matter? *Am J Clin Nutr*. 2009; 89(5): 1383-92.
47. Singh GM, Micha R, Khatibzadeh S, Shi P, Lim S, Andrews KG, et al. Global, Regional, and National Consumption of Sugar-Sweetened Beverages, Fruit Juices, and Milk: A Systematic Assessment of Beverage Intake in 187 Countries. *PLoS ONE*. 2015; 10(8): e0124845.
48. Popkin BM, Hawkes C. Sweetening of the global diet, particularly beverages: patterns, trends, and policy responses. *The Lancet Diabetes & Endocrinology*. 2016; 4(2): 174-86.
49. Pereira RA, Duffey KJ, Sichieri R, Popkin BM. Sources of excessive saturated fat, trans fat and sugar consumption in Brazil: an analysis of the first Brazilian nationwide individual dietary survey. *Public Health Nutr*. 2014; 17(1): 113-21.
50. Barquera S, Hernandez-Barrera L, Tolentino M, Espinosa J, Ng S, Rivera J, et al. Energy intake from beverages is increasing among Mexican adolescents and adults. *J Nutr*. 2008; 138(12): 2454-61.
51. Barquera S, Campirano F, Bonvecchio A, Hernández L, Rivera J, Popkin B. Caloric beverage consumption patterns in Mexican children. *Nutrition Journal* 2010; 9: 47-56.
52. Pereira R, Souza A, Duffey K, Sichieri A, Popkin B. Beverages consumption in Brazil: results from the first National Dietary Survey. *Public Health Nutrition*. 2015; 18(1164-1172).
53. Levy RB, Claro RM, Bandoni DH, Mondini L, Monteiro CA. Disponibilidade de "açúcares de adição" no Brasil: distribuição, fontes alimentares e tendência temporal. *Revista Brasileira de Epidemiologia*. 2012; 15: 3-12.
54. Bezerra IN, Souza AM, Pereira RA, Sichieri R. Consumo de alimentos fora do domicílio no Brasil. *Revista de Saúde Pública*. 2013; 47 (Suppl.1).
55. Canella DS, Levy RB, Claro RM et al. Consumo alimentar: muito açúcar (1987-2009). In: Carlos Augusto Monteiro; Renata Bertazzi Levy. (Org.). *Velhos e Novos Males da Saúde no Brasil: de Geisel a Dilma*. 1ed. São Paulo: HUCITEC: NUPENS/USP, 2015: 43-55.
56. Instituto Brasileiro de Geografia e Estatística (IBGE). Pesquisa de Orçamentos Familiares no Brasil, 2008/2009: análise de consumo alimentar pessoal no Brasil. Rio de Janeiro: IBGE; 2011.
57. Instituto Brasileiro de Geografia e Estatística. Pesquisa Nacional de Saúde do Escolar - 2012. Rio de Janeiro: IBGE; 2013.
58. Souza AM, Barufaldi LA, Abreu GA et al. ERICA: ingestão de macro e micronutrientes em adolescentes brasileiros *Revista de Saúde Pública*. 2016; 50(supl 1):5s.
59. Instituto Brasileiro de Geografia e Estatística (IBGE). Pesquisa Nacional de Saúde 2013: Ciclos de vida. Brasil e Grandes Regiões. Rio de Janeiro: IBGE; 2015.
60. Euromonitor International. Passport Global Market Information Database. London: Euromonitor; 2015. Disponível em: <http://go.euromonitor.com/Passport-Home>
61. Pan American Health Organization. Ultra-processed food and drink products in Latin America: Trends, impact on obesity, policy implications. Washington, DC: PAHO; 2015.
62. Brownell KD, Farley T, Willett WC, Popkin BM, Chaloupka FJ, Thompson JW, et al. The Public Health and Economic Benefits of Taxing Sugar-Sweetened Beverages. *New England Journal of Medicine*. 2009; 361(16): 1599-605.
63. Colchero MA, Popkin BM, Rivera JA, Ng SW. Beverage purchases from stores in Mexico under the excise tax on sugar sweetened beverages: observational study. *BMJ*. 2016; 352.
64. Colchero MA, Salgado JC, Unar-Munguía M, Molina M, Ng S, Rivera-Dommarco JA. Changes in Prices After an Excise Tax to Sweetened Sugar Beverages Was Implemented in Mexico: Evidence from Urban Areas. *PLoS ONE*. 2015; 10(12): e0144408.
65. Bíró A. Did the junk food tax make the Hungarians eat healthier? *Food Policy*. 2015; 54: 107-15.

66. Andreyeva T, Chaloupka FJ, Brownell KD. Estimating the potential of taxes on sugar-sweetened beverages to reduce consumption and generate revenue. *Prev Med.* 2011; 52(6): 413-6.
67. Andreyeva T, Long MW, Brownell KD. The impact of food prices on consumption: A systematic review of research on the price elasticity of demand for food. *Am J Public Health.* 2009; 100(2): 216-22.
68. Escobar MAC, Veerman JL, Tollman SM, Bertram MY, Hofman KJ. Evidence that a tax on sugar sweetened beverages reduces the obesity rate: a meta-analysis. *BMC public health.* 2013; 13(1): 1.
69. Powell LM, Chriqui JF, Khan T, Wada R, Chaloupka FJ. Assessing the potential effectiveness of food and beverage taxes and subsidies for improving public health: a systematic review of prices, demand and body weight outcomes. *Obesity Reviews.* 2013; 14(2): 110-28.
70. Silver LD, Ng SW, Ryan-Ibarra S, Taillie LS, Induni M, Miles DR, et al. Changes in prices, sales, consumer spending, and beverage consumption one year after a tax on sugar-sweetened beverages in Berkeley, California, US: A before-and-after study. *PLOS Medicine.* 2017; 14(4): e1002283.
71. Colchero MA, Rivera-Dommarco J, Popkin BM, Ng SW. In Mexico, Evidence Of Sustained Consumer Response Two Years After Implementing A Sugar-Sweetened Beverage Tax. *Health Affairs.* 2017; 36(3): 564-71.
72. Jones-Smith JC, Gordon-Larsen P, Siddiqi A, Popkin BM. Emerging disparities in overweight by educational attainment in Chinese adults (1989-2006). *Int J Obes.* 2012; 36(6): 866-75.
73. Jones-Smith JC, Gordon-Larsen P, Siddiqi A, Popkin BM. Is the burden of overweight shifting to the poor across the globe[quest] Time trends among women in 39 low- and middle-income countries (1991-2008). *Int J Obes.* 2012; 36(8): 1114-20.
74. Monteiro CA, Moura EC, Conde WL, Popkin BM. Socioeconomic status and obesity in adult populations of developing countries: a review. *Bull World Health Organ.* 2004; 82(12): 940-6.
75. Di Cesare M, Khang Y-H, Asaria P, Blakely T, Cowan MJ, Farzadfar F, et al. Inequalities in non-communicable diseases and effective responses. *The Lancet.* 381(9866): 585-97.
76. Stevens G, Dias RH, Thomas KJ, Rivera JA, Carvalho N, Barquera S, et al. Characterizing the epidemiological transition in Mexico: national and subnational burden of diseases, injuries, and risk factors. *PLoS Med.* 2008; 5(6): e125.
77. Donaldson E. *Advocating for Sugar-Sweetened Beverage Taxation: A Case Study Of Mexico.* Baltimore, Md.: Johns Hopkins Bloomberg School of Public Health; 2015.
78. Briggs ADM, Mytton OT, Kehlbacher A, Tiffin R, Elhussein A, Rayner M, et al. Health impact assessment of the UK soft drinks industry levy: a comparative risk assessment modelling study. *The Lancet Public Health.* 2017; 2(1): e15-e22.
79. Roache SA, Gostin LO. The Untapped Power of Soda Taxes: Incentivizing Consumers, Generating Revenue, and Altering Corporate Behavior. *International Journal of Health Policy and Management.* 2017: -.
80. Andreyeva T, Chaloupka FJ, Brownell KD. Estimating the potential of taxes on sugar-sweetened beverages to reduce consumption and generate revenue. *Preventive medicine.* 2011; 52(6): 413-6.
81. Go A, Mozaffarian D, Roger V. Sugar-sweetened beverages initiatives can help fight childhood obesity. *circulation.* 2013; 127: e6-e245.
82. Claro RM, Levy RB, Popkin BM, Monteiro CA. Sugar-sweetened beverage taxes in Brazil. *American Journal of Public Health.* 2012; 102(1):178-83.
83. Manyema M, Veerman LJ, Chola L, Tugendhaft A, Sartorius B, Labadarios D, et al. The potential impact of a 20% tax on sugar-sweetened beverages on obesity in South African adults: A mathematical model. *PLoS one.* 2014; 9(8): e105287.
84. Guerrero-López CM MM, Juan A, Rivera A, Colchero MA.,. Employment changes associated with the implementation of the sugar-sweetened beverage and the nonessential energy dense food taxes in Mexico. In: Mexico NloPHo, editor. Cuernavaca; 2016.
85. Ng SW JR, BM Popkin, MA Colchero. . Did high purchasers respond differently to the excise tax to sugar sweetened beverages in Mexico. Cuernavaca and Chapel Hill: INSP-UNC; 2016.
86. Sánchez-Romero LM, Penko J, Coxson PG, Fernández A, Mason A, Moran AE, et al. Projected Impact of Mexico's Sugar-Sweetened Beverage Tax Policy on Diabetes and Cardiovascular Disease: A Modeling Study. *PLOS Medicine.* 2016; 13(11): e1002158.
87. Barrientos-Gutierrez T, Zepeda-Tello R, Rodrigues ER, Colchero-Aragón A, Rojas-Martínez R, Lazcano-Ponce E, et al. Expected population weight and diabetes impact of the 1-peso-per-litre tax to sugar sweetened beverages in Mexico. *PLOS ONE.* 2017; 12(5): e0176336.
88. Falbe J, Thompson HR, Becker CM, Rojas N, McCulloch CE, Madsen KA. Impact of the Berkeley Excise Tax on Sugar-Sweetened Beverage Consumption. *American Journal of Public Health.* 2016: e1-e7.
89. WHO Regional Office for Europe (Nutrition Physical Activity and Obesity Programme ). Using price policies to promote healthier diets. In: Lifecourse DoNDat, editor. Brussels: WHO European Regional Office; 2015. p. 41.
90. Briggs ADM, Mytton OT, Kehlbacher A, Tiffin R, Rayner M, Scarborough P. Overall and income specific effect on prevalence of overweight and obesity of 20% sugar sweetened drink tax in UK: econometric and comparative risk assessment modelling study. *BMJ.* 2013; 347.
91. Long MW, Gortmaker SL, Ward ZJ, Resch SC, Moodie ML, Sacks G, et al. Cost Effectiveness of a Sugar-Sweetened Beverage Excise Tax in the U.S. *American Journal of Preventive Medicine.* 2015; 49(1): 112-23.
92. Veerman JL, Sacks G, Antonopoulos N, Martin J. The Impact of a Tax on Sugar-Sweetened Beverages on Health and Health Care Costs: A Modelling Study. *PLoS ONE.* 2016; 11(4): e0151460.
93. Wright A, Smith KE, Hellowell M. Policy lessons from health taxes: a systematic review of empirical studies. *BMC public health.* 2017; 17(1): 583.
94. Encarnação R, Lloyd-Williams F, Bromley H, Capewell S. Obesity prevention strategies: could food or soda taxes improve health? *The journal of the Royal College of Physicians of Edinburgh.* 2016; 46(1): 32-8.
95. Boseley S. Doctors demand a 20% tax on sugary drinks to fight UK obesity epidemic *The Guardian.* 2015.
96. Donnelly L. Gordhan announces sugar tax. *Mail & Guardian.* 2016.
97. Jensen JD, Smed S. The Danish tax on saturated fat – Short run effects on consumption, substitution patterns and consumer prices of fats. *Food Policy.* 2013; 42(0): 18-31.
98. Batis C, Rivera JA, Popkin BM, Taillie LS. First-Year Evaluation of Mexico's Tax on Nonessential Energy-Dense Foods: An Observational Study. *PLoS Med.* 2016; 13(7): e1002057.
99. Jha P, Peto R. Global Effects of Smoking, of Quitting, and of Taxing Tobacco. *New England Journal of Medicine.* 2014; 370(1): 60-8.